



中国认可
检测
TESTING
CNAS L0599

检测报告

ASH19-050729-03

发布日期: 2019年10月10日

客户名称: 福州市帕柯斯新材料有限公司
客户地址: 福建省福州市台江区金融街申发大厦27F

样品名称: 聚丙烯PP-R生物抗菌管材
生产商: bio pipe
样品批号: PP0016
生产日期: 20190506

以上样品及信息由客户提供及确认, SGS不承担证实客户提供信息的准确性、适当性和(或)完整性责任。

SGS相关号: NBAFL201900882706
样品接收日期: 2019年09月16日
检测周期: 2019年09月16日 - 2019年09月24日
检测要求: 根据客户要求检测
检测方法: 请参见下一页
检测结果: 请参见下一页

本报告部分替代原报告ASH19-050729-01。

除非另有说明, 本检测结果仅与被检测物品有关。未经检验机构书面同意, 委托人不得擅自使用检测结果进行不当宣传。



ASH19-050729-03
扫码辨真伪

SGS授权签字人

通标标准技术服务(上海)有限公司

第1页,共3页



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.
Testing Center High Accuracy Special Laboratory

3rd Building, No. 889, Yishan Road, Shanghai, China 200233 t 400-691-0488 f (86-21) 6140 2547 www.sgs.com.cn
中国·上海·宜山路889号3号楼 邮编: 200233 t 400-691-0488 f (86-21) 6140 2547 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)

检测报告

ASH19-050729-03

发布日期: 2019年10月10日

检测样品描述:

样品编号	SGS样品ID	描述
1	ASH19-050729.001	袋装物

检测结果:

检测要求: 抗菌效果实验

检测方法: ISO 22196:2011 塑料和其他非多孔表面抗菌活度的测量

ASH19-050729-03.001

检测菌种 大肠杆菌
ATCC8739

接种菌液浓度 (CFU/mL) 7.2x10⁵

接种菌液量 (mL) 0.2

对对照-"0小时"接触时间
洗脱后获得的细菌数对数
值(CFU/cm²) 4.18

对对照-"24小时"接触时间
洗脱后获得的细菌对数
值(CFU/cm²) 5.69

样品-"24小时"接触时间洗
脱后获得的细菌对数值
(CFU/cm²) 1.33



通标标准技术服务(上海)有限公司

第2页,共3页



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755)8307 1443, or email: CN_Doccheck@sgs.com

SGS-CSTC (Shanghai) Technical Services Co., Ltd.
Testing Center Agency/ISO/IEC 17025:2005 Laboratory

3rd Building, No. 889, Yishan Road, Shanghai, China 200233 t 400-691-0488 f (86-21) 6140 2547 www.sgs.com.cn
中国·上海·宜山路889号3号楼 邮编:200233 t 400-691-0488 f (86-21) 6140 2547 e sgs.china@sgs.com

检测报告

ASH19-050729-03

发布日期: 2019年10月10日

大肠杆菌
ATCC8739

抗菌活性值 4.4

*抗菌率 (%) >99.9

备注:

对照样为无抗菌性能塑料膜, 由SGS实验室提供。

*抗菌率 (%)按照客户要求添加, 计算公式为【(B-C)/B】*100;

B: 对照样接种后24h的菌数的平均值(CFU/cm²);

C: 样品接种后24h的菌数的平均值(CFU/cm²)。

样品照片:



该照片只针对SGS原始报告

*** 结束 ***

通标标准技术服务(上海)有限公司

第3页,共3页

